

CUT CLEANING TIMES UP TO 75% & SAVE WATER

FLAT SURFACE CLEANERS ... Fast, streak free cleaning ... ideal for large flat areas.

High pressure flat surface cleaners 'float on water'. These spinners are designed to operate from any electric or engine drive pressure cleaner giving a streak free finish.

- ◆ Cut cleaning times up 75%
- ◆ Use less water, save fuel, cut machine wear
- ◆ Eliminate overspray

Match nozzle size to your machine

Size your nozzle requirement using the pressure and flow of your blaster (see nozzle selection table p 61)

Divide nozzle size required by number of nozzles in spinner.

Order new nozzles if required.

HIGH PRESSURE ACCESSORIES



| Model | 15" Semi Pro Spinner |
|-----------------------|--------------------------|
| S/code | FNA80166 |
| Max pressure | 3,600 psi |
| Max temp | 60°C |
| Max flow rate | 11 lpm |
| Inlet with 90° swivel | 1/4" QC plug |
| Boxed measurements | 380 x 390 x 160mm |
| Weight | 2.2 kg |
| Cleaning speed | 10m ² per min |
| No of nozzles | 2 |
| | \$279 |

NOTE:
700mm lance with quick coupler, sold separately

FNA7103261 \$84



| Model | 20" Spinner |
|--------------------|---|
| S/code | AGPDFSC20 |
| Max pressure | 4,000 psi (275 bar) |
| Max temp | 80°C |
| Max flow rate | 30 lpm |
| Inlet | 3/8" NPT-F (M22 nipple C1500.24 & CD10079 QC plug included) |
| Boxed measurements | 900 x 560 x 340 mm |
| Weight | 9 kg |
| Cleaning speed | 20m ² per min |
| No of nozzles | 2 x 020 |
| | \$1,290 |

| Replacement parts | | |
|---------------------------|---------------|-------|
| Gun | AGPDCG4000FSC | \$124 |
| Rotary swivel | AGP2103220 | \$504 |
| Swivel repair kit (major) | AGP2100372 | \$359 |
| Swivel repair kit (minor) | AGP2100203 | \$79 |
| Nylon brush skirt | AGP2660059 | \$210 |
| Rotary arm | AGP2530009 | \$113 |
| Plastic deck | AGP2660045 | \$222 |
| Nozzles (each) | C925020M | \$26 |
| Whip Hose | AGP2702000 | \$173 |

| Model | 22" Cyclone |
|--------------------|---|
| S/code | AGPDFSCS22Z |
| Max pressure | 4,000 psi (275 bar) |
| Max temp | 80°C |
| Max flow rate | 30 lpm |
| Inlet | 3/8" NPT-F (M22 nipple C1500.24 & CD10079 QC plug included) |
| Boxed measurements | 900 x 580 x 340 mm |
| Weight | 11 kg |
| Cleaning speed | 25m ² per min |
| No of nozzles | 3 x 020 |
| | \$1,624 |

| Replacement parts | | |
|---------------------------|---------------|-------|
| Gun | AGPDCG4000FSC | \$124 |
| Rotary swivel | AGP2103220 | \$504 |
| Swivel repair kit (major) | AGP2100372 | \$359 |
| Swivel repair kit (minor) | AGP2100203 | \$79 |
| Nylon brush skirt | AGP2103223 | \$210 |
| Rotary arm | AGP2103224 | \$113 |
| Caster (x1) | AGP2103228 | \$206 |
| Nozzles (each) | C925020M | \$26 |
| Whip Hose | AGP2702000 | \$173 |

FASTER, SMARTER CLEANING



28" Hydro Twister

| | |
|--------------------|--------------------------|
| Model | 28" Hydro Twister |
| S/code | HANT28 |
| Max pressure | 4,000 psi (275 bar) |
| Max temp | 120°C |
| Max flow rate | 35 lpm |
| Inlet | M22 male |
| Boxed measurements | 1350 x 720 x 160 mm |
| Weight | 15 kg |
| Cleaning speed | 35m ² per min |
| No of nozzles | 2 x 027 |
| | \$3,109 |



Twister Vac
(hose not included)

| | |
|--------------------|--------------------------|
| Model | 24.5" Twister Vac |
| S/code | HANTV5 |
| Max pressure | 4,000 psi (275 bar) |
| Max temp | 93°C |
| Max flow rate | 25 lpm |
| Inlet | M22 male |
| Boxed measurements | 1360 x 720 x 160mm |
| Weight | 15 kg |
| Cleaning speed | 25m ² per min |
| No of nozzles | 2 x 030 |
| | \$4,970 |

NEW Contractor Multi Twister ...

4 easy to select functions in one tool

1. 28" flat surface cleaner
 2. Gum spotter nozzle
 3. Water broom for quick rinse
 4. NEW! Edging tool
- Quick connect fittings for fast changeover
 - Gum spot nozzle, under deck prevents overspray
 - The edging tool ... cleans the strip along the edge of walls, pillars, or buildings
 - Rear casters lock to clean in a straight line
 - Rear splash guard keeps operator dry



Dual gun operation

| | |
|--------------------|--------------------------|
| Model | 28" Multi Twister |
| S/code | HANT4C |
| Max pressure | 4,000 psi (275 bar) |
| Max temp | 120 °C |
| Max Flow rate | 21 lpm |
| Inlet | M22 male |
| Boxed measurements | 1350 x 720 x 160mm |
| Weight | 15 kg |
| Cleaning speed | 35m ² per min |
| No of nozzles | 2 X 027 |
| | \$3,886 |

NOTE: Gun supplied separately

| | |
|-------------------------------|-------|
| CGPDG5010 (Gun) | \$100 |
| M212003550 (coupling to suit) | \$25 |

Replacement parts

| | | |
|-------------------------------|--------|-------|
| Rotary swivel | HVAM03 | \$537 |
| Swivel repair kit (major) | HVAM00 | \$286 |
| Rotary arm | HNSB02 | \$271 |
| Caster (x1) | HHT300 | \$35 |
| Nozzles (require two of each) | HNM202 | \$19 |
| | HNM102 | \$22 |

For models pre 2016 call for parts listings.

NOTE: Gun supplied separately

| | |
|-------------------------------|-------|
| CGPDG5010 (Gun) | \$100 |
| M212003550 (coupling to suit) | \$25 |

Replacement parts

| | | |
|---------------------------|--------|-------|
| Rotary swivel | HVAM03 | \$537 |
| Swivel repair kit (major) | HVAM00 | \$286 |
| Nylon brush set | HHLH97 | \$180 |
| Rotary arm | HNSB01 | \$307 |
| Caster (x1) | HHT300 | \$35 |
| Nozzles (each) | HNM270 | \$22 |

Guns supplied separately (2 required)

| | |
|-------------------------------|-------|
| CGPDG5010 (Gun) | \$100 |
| M212003550 (coupling to suit) | \$25 |

Replacement parts

| | | |
|-------------------------------|--------|-------|
| Rotary swivel | HVAM03 | \$537 |
| Swivel repair kit (major) | HVAM00 | \$286 |
| Nylon brush skirt | HHLH96 | \$178 |
| Rotary arm | HNSB02 | \$284 |
| Caster (x1) | HHT300 | \$35 |
| Nozzles (require two of each) | HNM202 | \$19 |
| | HNM102 | \$22 |

HIGH PRESSURE ACCESSORIES

JULY 2023 | ISSUE 2

AUSSIE TELE-WAND ...

19' (5.5m) telescopic Tele-wand, great for washing under eaves or windows, includes **FREE** harness kit valued at \$48



EXTENDS TO 5 METRES



Replacement parts (both versions)
 Gun AGPDCG4000TS **\$126**
 Harness kit AGPD20015 **\$52**



COMMERCIAL

4,000 psi (275 bar), 1/4" QC outlet
 Retracted length 2.3m
Extends to 5.5m
 40 lpm, 90°C,
 Fibreglass outer poles
 Inlet ... 3/8" NPT-F
 (M22 nipple C1500.24
 & CD10079 QC plug included)

AGPDLTG18 **\$440**

NB: Requires Quik Tip nozzle, sold separately (see p 60)



Shipping weight 5kg
 Boxed dimensions (mm):
 2090 x 180 x 70

INDUSTRIAL

4,000 psi (275 bar), 1/4" QC outlet
 Retracted length 2.3m
Extends to 5.5m
 40 lpm, 90°C,
 Aluminium outer poles
 Inlet ... 3/8" NPT-F
 (M22 nipple C1500.24
 & CD10079 QC plug included)

AGPDCLTG18A **\$518**

NB: Requires Quik Tip nozzle, sold separately (see p 60)



Shipping weight 5kg
 Boxed dimensions (mm):
 2090 x 180 x 70

GRIT BLAST KITS ... REMOVE PAINT OR RUST FASTER

PROFESSIONAL GRIT BLAST KITS

TS 33 3,200 psi (220 bar),
 Permissible pressure 3,625 psi
 Tungsten carbide tip,
 500mm zinc probe, 6m hose, 400mm lance
 with M22 coupling & 035 nozzle

M202903460 **\$262**



5,000 psi (350 bar) professional,
 (nozzle not included, use 0° nozzle)
 8 metres of nylon braided hose & sand
 probe
 Inlet 1/4" BSP F
 (note additional couplings & lance may be
 required)

MTM160172 **\$408**



500 BAR GRIT BLASTER

TPS 450 Kit (**500 Bar, 7,300 PSI**) grit blast
 kit, c/w probe, plastic hose, 800mm lance,
 gun, nozzle & nipple for quick coupling

S/code

TPS450/___GLK **\$1,735**
 (specify nozzle size required)

REPLACEMENT PARTS ...

C4700.18 **\$733**
 Head only

C4604.04 **\$147**
 Hose barb

Repair kit for head (C650419) **\$355**



TS12 SAND BLASTER

500 Bar, 7,300 PSI grit blast head with a flat
 spray pattern ,80 lpm, 90°C
 Inlet 1/4" BSP F
 Nozzle 1/4" NPT M (15°)

S/code

MPA25.0450.00 **\$1,165**
 Head only

MPA25.0300.20 **\$173**
 Hose barb



FOAMERS

Spray detergents, degreasers disinfectants without chemicals going through the pump.

2,600 psi (180 bar) LS3

max permissible pressure
12 lpm, 60°C, 1 litre capacity
Inlet ¼" BSP F
Nozzle 1.25mm
MPA25152612 **\$156**


(requires C1500.06 coupling to fit to gun, \$12, p64)



3,200 psi (220 bar) LS12

max permissible pressure
25 lpm, 60°C, 2 litre capacity
Inlet ¼" BSP F
Nozzle 1.5mm
MPA25184215 **\$197**

(requires C1500.06 coupling to fit to gun, \$12, p64)



FOAM JET KIT

Can shoot detergent up to 3 stories.

5,000 psi (350 bar) max pressure
21 lpm, 60°C, 10m of inlet hose,
Inlet ¼" BSP F
Nozzle 3 nozzles, 1.25,
1.5 & 1.7mm

MTM140289 **\$265**

Requires coupling to fit to gun C1500.06 \$12




GUTTER CLEANER

DITCH THE LADDER

Unique design attaches in place of a Quik Tip nozzle and enables gutter cleaning with a normal lance.

Can be used with a turbo head.
(Quik Tip nozzle sold separately p60)
Inlet: QC Outlet: 1/4" M tale
AGPD20011 **\$46**
(fixes to a lance with QC
FNA7103261 \$84
& Telewands)



ACID VENTURI

Clean brickwork fast!

Inlet: ¼ BSP M
Ratio 6:1
Hose barb 7mm
CGMA025 **\$77**



WHEELS ... TOP QUALITY STEEL WHEELS WITH PNEUMATIC & FLAT FREE TYRES



| S/code | Size | Suits | Axle size | |
|----------------|------|--|-------------|--------------|
| A A400015 | 10" | AB Scud 30/40 & Monsoon 140/200 flat free | 16mm (5/8") | \$52 |
| B A400016-HD | 13" | Scud 350-400, Ultra & Predator, flat free for diesel powered units | 16mm (5/8") | \$78 |
| ACAP16MM | | Wheel cap | 16mm (5/8") | \$3.0 |
| C HAHS10 | 10" | Hydrotek wheel kit (4 wheels & axle kit), suits HSS series only | 19mm (3/4") | \$310 |
| D AWHEELCOBRA | 10" | Cobra/King Cobra | 19mm (3/4") | \$96 |
| E AWHEELDIESEL | 16" | Diesel Raptors & Predators | 25mm (1") | \$160 |

NEW AUSSIE SMART CART

Strong & robust universal trolley

- ♦ 10" flat free wheels
- ♦ Suits mounting of pumps, pressure cleaners, generators and hose reels
- ♦ Suits up to 7HP engines
- ♦ Base 37cm long x 27cm

AGP2100436 **\$348**



NEW 18 LITRE FUEL TANK

Mitsubishi, petrol only, metal fuel tank (supply only)

(390mm W, 490mm L, 130mm H) 6kgs
AKF04046BA **\$917**



NEW MISTING LANCE

Generate a fine misting spray to dampen down dust on construction sites.

Double CTN255 turbo heads (3,785 psi, 255 bar), German made 900mm steel lance, M22 nipple

CTN255-030TWINML **\$670**

