Aussie ECG-Clean MARCH 2009





MACHINES FOR ENVIRONMENTALLY SOUND CLEANING SOLUTIONS



Aussie ECO— Clean



F140 CONCEPT: BIG WATER SAVINGS ON EVERY DOMESTIC CLEANING TASK

This machine is ideal for domestic users looking for a commercial grade machine that is cost effective, reliable and will provide vears of service.

- Big 9 litres per minute flow.
- 2,000 psi pressure ... real power.
- 3,000 psi effective working pressure with Aussie Turbo Master turbo lance.
- Aussie Turbo Master turbo lance FREE.
- Heavy duty, high density polypropylene chassis.
- 2.2kW induction motor with thermal protection.

- Brass pump with stainless steel pistons.
- Pro gun, vario lance & wire braid professional HP hose.
- Total Stop protection.
- Heavy duty trolley.
- Integrated detergent injection & 5L detergent tank.
- Easy start valve.
- Weighs in at 29 kilos, a real heavyweight!

COLD WATER ELECTRIC BLASTERS PROFESSIONAL MACHINES FOR PROFESSIONAL USERS

AUSSIE MONSOON 100 & 140 ... SINGLE PHASE MACHINES BUILT TOUGH

- "Big Berty" Bertolini pump with brass pump head, stainless steel valves, double seal system, ceramic pistons and oversized roller bearings.
- IP56, 4 pole, slow speed electric motor with thermal protection.
- Powder coated rugged steel frame/trolley.
- Heavy duty on/off switch with overload protection.
- Two big pneumatic tyres.
- Thermal dump valve, protection against over-heating.



PUMPS ARE BEST

EXTRA HEAVY DUTY MONSOON ... THREE PHASE MACHINES DESIGNED FOR LONG, CONTINUOUS OPERATION

- Pressures to 7,000 psi, 12,000 EWP with Turbo Master.
- "Big Berty" Bertolini pump with brass pump head, stainless steel valves, double seal system, ceramic pistons and oversized roller bearings.
- Powder coated rugged steel protection frame, 4 pneumatic 13" wheels.
- Heavy duty on-off switch with protection against overload.
- Thermal dump valve, protection against overheating.

Model	Pump Pressure	EWP Pressure (psi)	Flow rate (lpm)	Motor		Pump rpm	Weight (kg)	Boxed dimensions I x w x h (mm)		
Monsoon 100	1,500	2,600	11	240v	3HP	2.2kW	IP56	1450	45	650x530x750
Monsoon 140	2,000	3,400	9	240v	3HP	2.2kW	IP56	1450	45	650x530x750
Monsoon 150	2,150	3,400	15	415v	5.5HP	4kW	IP56	1450	65	1000x720x820
Monsoon 200	3,000	4,785	15	415v	7.5HP	5.5kW	IP56	1450	70	1000x720x820
Monsoon 300	3,000	4,785	21	415v	10HP	7.5 kW	IP56	1450	80	1000x720x820
Monsoon 300 Maxi	3,000	4,785	28	415v	15HP	10 kW	IP56	1450	105	1000x720x820
Monsoon 400	4,000	6,400	15	415v	10HP	7.5 kW	IP56	1450	82	1000x720x820
Monsoon 400 Maxi	4,000	6,400	21	415v	15HP	10 kW	IP56	1450	105	1000x720x820
Monsoon Hurricane	5,000	8,500	18	415v	17HP	12.5 kW	IP56	1450	120	1000x720x820
Monsoon Raptor	7,000	12,000	12	415v	20HP	15 kW	IP56	1450	120	1000x720x820

Options available for all **Aussie Cold water** models

- Turbo lances
- Grit blast kits
- Acid injectors
- Drain cleaners
- Hose reels
- Lance extensions
- 12", 16", 20" & 24" flat surface cleaners

EWP: figures theoretical only when blaster is used with a turbo lance

Reliable Products ... Reliable People

the Power & the Glory

ENGINE DRIVE; MOBILITY & POWER Higher Pressures Mean Water Lage Slashed

NEW AB SERIES ... A NEW DIMENSION OF PERFORMANCE AND VALUE

- "Big Berty" Bertolini pump with brass pump head, stainless steel valves, exclusive double seal system, solid ceramic pistons, and oversized roller bearings used on AB series.
- Genuine Honda engine with oil alert ... worldwide service support.
- Heavy duty steel powder coated base with chrome steel bumper and handle, 10" pneumatic tyres and wheels on the Cougar MkII & AB22H or 12" pneumatic tyres & mag wheels on AB32H and AB42H.
- ASP (Aussie Safety Protection) kits, includes thermal dump valve & safety valve. Protects operator & machine against excessive bypass & pressure spikes (AB series).

1	1	,						
Model	Pump Pressure (psi)	EWP Pressure (psi)	Flow rate (lpm)	Engine		Pump rpm	Weight (kg)	Boxed dimensions I x w x h (mm)
Cougar MkII	2,750	4,125	9	Honda GC160	5HP	3200	40	570x590x510
AB22H	2,150	3,400	12.5	Honda GX200	6.5HP	3200	45	570x590x540
AB32H	3,000	4,785	13	Honda GX270	9HP	3200	70	680x820x660
AB42H	4,000	6,485	13	Honda GX390	13HP	3200	80	680x820x660

HEAVY DUTY ENGINE DRIVE ... 2 year warranty ... DIESEL DRIVE OR PETROL



ROL	Pump Pressure (psi)	EWP Pressure (psi)	Flow rate (lpm)	Engine/Motor	Pump rpm	Weight (kg)	Boxed dimensions I x w x h (mm)
BB350	3,000	4,785	15	Honda 13HP*	1450	90	1000x800x800
BB351	2,500	4,000	21	Honda 13HP*	1450	90	1000x800x800
BB400	4,000	6,485	15	Honda 13HP *	1450	90	1000x800x800
Terminator	4,000	6,485	18	Honda 20HP*	1450	110	1100x900x1100
BB ULTRA	4000	6,485	21	Honda 20HP electric start	1450	110	1100x900x1100
PREDATOR PLUS	5,000	8,500	21	Honda 24HP*	1450	120	1100x900x1130
NEW PYTHON	4,300	6,785	31	Vanguard 31HP electric start	1450	160	1250x1200x1500

- "Big Berty" Bertolini forged brass pump head with stainless steel valves, ceramic pistons, double seal system
 and oversized roller bearings.
- Heavy duty galvanised frame with anti-vibration dampeners and big pneumatic tyres
 & steel wheels.
- Reliable, powerful engines from est. manufacturers (Honda, Yanmar, Kubota, Hatz)
- ASP (Aussie Safety Protection) kits, includes thermal dump valve & safety valve. Protects operator & machine against excessive bypass & pressure spikes.
- · Serious gearbox drive provides OH&S safety benefits, minimal maintenance.

_) IESEL Model	Pump Pressure	EWP Pres- sure (psi)	Flow rate (lpm)	Engine/	/Motor	Pump rpm	Weight (kg)	Boxed dimensions I x w x h (mm)
_	BB350 YDE	3,000	4,785	15	Yanmar	10HP	1450	115	1000x875x800
	BB350 KDE	3,000	4,785	15	Kubota	10HP	1450	115	1000x875x800
	BB350 GD411	3,000	4,785	15	Honda	9HP	1450	115	1000x875x800
	BB400 HDE	4,000	6,485	15	Hatz	14HP	1450	190	1100x900x900
	BB ULTRA HDE	4,000	6,485	21	Hatz	20HP	1450	225	1250x1200x1500
	PREDATOR HDE	5,000	8,500	18	Hatz	20HP	1450	240	1250x1200x1500
	PREDATOR PLUS HDE	5,000	8,500	21.5	Hatz	25HP	1450	410	1250x1200x1500
	RAPTOR HDE	7,300	12,000	12	Hatz	20HP	1450	250	1250x1200x1500

Aussie Mobi-Blast: A mobile blaster that carries it's own water supply for infield cleaning. On site cleaning power for plant and equipment! Ideal for earthmovers, miners and logging contractors. Can be mounted on a Ute or trailer for added mobility or moved on site by forklift.

* electric start option available

Aussie ECO— Clean

STEAM MACHINES: the power to clean



NEW AUSSIE STELLA ... ROBUST & SIMPLE ELECTRIC STEAM CLEANERS

- "Big Berty" Bertolini triplex brass pump with stainless steel valves, exclusive double seal system, solid ceramic pistons, and oversized roller bearings.
- ASP (Aussie Safety Protection) including thermal dump & safety valve.
- · Tubular frame with click on side covers.
- · Simple electrical system with user friendly controls.
- Stainless steel AISI 304 fire box & chimney, with perforated chromed steel cover.
- · Total Stop, auto shut down ... protects your cleaner

Model	Pump Pressure (psi)	EWP Pressure (psi)	Flow rate (lpm)	Motor	Pump rpm	<i>Max</i> Temp °C	Weight (kg)	Boxed dimensions (mm) (I x w x h)
Stella 100/TS	1500	2600	11	2.2kW (single phase)	1450	140	120	810x600x920
Stella 200/TS	3000	4785	15	5.5kW (three phase)	1450	140	130	810x600x920
Gigante 2210	4000	6000	18	10kW (three phase)	1450	140	230	810x920x1075

AUSSIE SUPER INDY & ADMIRAL SERIES ... THE HEAVYWEIGHT STEAM CHAMPS

- Slow speed, 4 pole, IP56 motor (1400 rpm) for reliable long life performance.
- Heavy duty triplex pump with brass head & ceramic pistons.
- Heavy duty heat treated coil (stainless steel option for hard water areas).
- Low water cut-out warning light control, prevents damage to machine.
- Timed Total Stop—auto shut down ... protects your cleaner.
- 250mm wheels and swivel jockey wheel (two on the Admiral), heavy duty steel chassis & bumper.
- Flexible coupling between motor and pump for a smoother, cooler drive.

Model	Pump Pressure (psi)	EWP Pressure (psi)	Flow rate (lpm)	Motor	Max. temp °C	Pump rpm	Weight (kg)	Boxed dimensions I x w x h (mm)
Super Indy DS1012M	1,500	2,600	12	240v, 2.2kW	120	1400	120	740x1070x920
Super Indy DS2015T	3,000	4,785	15	415v, 5.5kW	120	1400	120	740x1070x920
Admiral DS1921T	3,000	4,785	21	415v, 9.5kW	130	1450	220	740x1070x920





FREE TECHNICAL TIPS ON SERVICE & MAINTENANCE

AUSSIE HYDROTEK ... ENGINE DRIVE STEAM CLEANERS... POWER & MOBILITY



- "Big Berty" triplex pumps with brass pump head, stainless steel valves, exclusive double seal system, solid ceramic pistons, and oversized roller bearings.
- Adjustable temperature up to 130°C, steam melts grease without using chemicals.
- Water tight electrical box.
- Robust "pro-tect" steel frame with built-in lifting eyes for transportation.
- ASP (Aussie Safety Protection) kits, includes thermal dump valve & safety valve. Protects operator & machine against excessive bypass & pressure spikes.
- Stainless steel panels.





Model	Pump Pressure (psi)	EWP	Flow rate (lpm)		Engin	е	Pump rpm	Weight (kg)	Dimensions (m) I x w x h
HSS32004HBJAW	3200	4785	15	Honda	Petrol	13HP	3200	450	tba
HSC40006HBJAW	4000	6485	21	Honda	Petrol	24HP	1450	520	tba
HSC30006D12JAW	3000	4785	21	Kubota	Diesel	13HP	1450	544	tba







the Power & the Glory

THE DRAIN CLEANING REVOLUTION



Aussie high pressure drain cleaning machines have revolutionised the way that blocked drains are cleared. The Cobra range makes short work of drains blocked by tree roots with a unique drain cleaning head called the Turbo Root Mulcher. It vibrates and rotates, clearing roots with a super high powered spinning water jet.

- Genuine industrial Honda or Vanguard engines with low oil shutdown.
- "Big Berty" Bertolini pump with brass pump head, SS valves, exclusive double seal system, solid ceramic pistons & oversized roller bearings.
- Galvanised roll frame with anti-vibration mounts with 10" pneumatic wheels.
- Heavy duty steel hose reel with R8 ¼" sewer hose, 5000 psi rated.
- Complete 'Nozzle Box' featuring Turbo Root Mulcher, Predator, Negotiator, Compressor nozzles and tip cleaner... nozzles for all applications.
- ASP Safety System including thermal dump valve and safety valve. Protects operator & machine from excessive bypass & pressure spikes.


Model	Pump Pressure (psi)	EWP Pressure (psi)	Flow rate (lpm)	Engine		Pump rpm	Hose length (m)	Weight (kg)	Boxed dimensions I x w x h (mm)
Mini Cobra	4,000	6485	15	Honda	13HP	1450	30	108	900x900x1350
Cobra	4,300	6785	21	Honda Electric start	20HP	1450	60	130	900x900x1350
King Cobra	5,000	8500	21.5	Honda Electric start	24HP	1450	60	140	900x900x1350
NEW Python	4,300	6485	31	Vanguard Electric start	31HP	1450	60	190	900x900x1350

FREE JETTER DVD AND FREE DRAIN CLEANING GUIDE AVAILABLE!

UTE OR TRUCK MOUNTED JETTERS ... TRANSFORM YOUR UTE OR TRAILER INTO A MOBILE JETTER

These Aussie kits combine your choice of Aussie jetter with the essentials to make your ute or trailer into the perfect mobile drain cleaning work platform.

- Your choice of a Cobra, King Cobra or Python jetter.
- Galvanised steel base frame with anti vibration dampeners, with lifting and anchoring points.
- Aussie Billabong poly tanks, UV resistant, with 50 micron heavy duty inlet filter, supply float valve and low level shut down device.
- Heavy duty battery with isolator valve.
- Galvanised hand wind inlet hose reel & Aussie Reel Quick high pressure reel with locking pin.
- Lots of other great options to suit your job including cleaning guns, jets, reels and long length sewer hoses.



ALL AUSSIE JETTERS ARE FITTED WITH "BIG BERTY"
BERTOLINI PUMPS FOR LONG, TROUBLE FREE SERVICE LIFE AUSSIE VIPER MINI REEL:

AUSSIE "JETTERS' TOOL BOX":

- Predator Penetrator, 1 forward jet, 3 reverse jets.
- Negotiator Invader, 1 forward jet, 6 reverse jets.
- Compressor Invader nozzle.
- Turbine Root Mulching nozzle.
- Reverse spinning nozzle.
- · Nozzle Tip Cleaner.
- Spare 1/4" coupler.
- 3/16" Allen key.

FREE GUIDE AVAILABLE



- Provides remote control when jetting ... you get close to the job.
- Unique portable 5,000 psi rated high pressure hose reel.
- Stainless steel stand/handle.
- Integrated on/off valve.
- High pressure gauge.
- Takes up to 60 metres of 1/4" R8 sewer hose.
- Comes with 2 x female couplers for nozzle storage.
- Controls your machine from the work site.



INDISPENSABLE FOR HARD TO ACCESS CHOKES!

Aussie ECG-Clean...

"BIG BERTY" BERTOLINI PUMPS



"BIG BERTY" IS BEST ... HERE'S WHY

- Flows to 220 lpm.
- Pressures to 5.000 psi.
- Built tough for tough users.
- · Precision Italian engineering.
- · Forged brass heads.
- · Rapid action, mirror finish 316 stainless steel valves.
- Exclusive double V and U packing seal, with fabric reinforced nitrile Buna elastomers.
- · Premium, oversized bearings.
- · Highly polished ceramic pistons for long life.
- · Big die cast aluminium crankcase, ribbed for more efficient cooling.
- Stainless steel piston rods, Tenifer treated for durability.

SLOW SPEED 1450 & 1725 RPM

Pump	Volume	Pres	ssure	RPM	Requir	ed HP	Weight
Model	(l/min)	bar	psi		electric	petrol	(kg)
WEL733	8.7	140	2030	1450	3	5	5.8
WEL744	11.3	100	1500	1450	3	5	5.8
TTV2015	15	210	3000	1450	7.8	13	14.5
TTV2021	21	210	3000	1450	10.3	16	14.5
KKV2028	28	210	3000	1450	14	20	18
KTV4040	15	280	4000	1725	10.7	13	15.5
KTV3021	21	300	4300	1450	16	20	15.5
HDL5048	18.1	350	5000	1450	16	24	20.4
RAS4482	31	300	4300	1725	18.3	31	18.5
C2233	125	150	2200	1450	48.5	n/a	79

PUMPS FOR DIRECT DRIVE ENGINE MOUNT

Pump Model	Volume (I/min)	Pressure		RPM	Required HP	Weight	
Model	(I/min)	bar	psi			(kg)	
WSG899	11	140	2030	3450	5	6.3	
TWSG3013	13	210	3000	3450	9	8	
TMG4035	13.2	280	4000	3450	13	9	

NB: All Bertolini pumps shown are common models used in Aussie Pumps production blasters. Send for free full Bertolini Pump catalogue.

Interchanges with Interpump, Cat, Hawke or other brands pumps. Change up to Big Berty pumps for super reliable high pressure performance.

PENTA PUMPS... extra high pressure + big flows

Pump Model	Volume	Pressure		RPM	Power		Weight
	(l/min)	bar	psi		HP	kW	(kg)
PENTA-C 27/500 R	27	500	7300	1450	35	26	47
PENTA-C 35/400 R	35	400	5800	1450	36	26.5	42
PENTA-C 43/300 R	43	300	4400	1450	33	24.5	42
GHC 12/50 S	12	500	7300	1450	15	11	23
GHC 16/50 S	16	500	7300	1450	20	14.7	23



AUSSIE "MUCK OFF" WASH & FLUSH SYSTEMS

Using a diaphragm pump to deliver extra flow, these units are great for 'wash and flush' applications like livestock effluent clean-up or machinery wash-down.

- Top quality Udor diaphragm pump.
- Self prime with auto reprime feature.
- Multiple diaphragm design (smoother running... long life).
- · Large capacity oil bath crankcase.
- Honda petrol or Yanmar diesel drive options.
- Heavy duty frame with 4 pneumatic tyres or skids ... your choice.

Model	No of diaphr	Flow (I/min)	Pressure	Engine	Regulator	Mounts
SMKAP42/GX200	3	43	40bar (568psi)	Honda GX200 6.5HP	2-way outlet, gauge, by-pass	Base & handles
SMKAP75/GX270	3	73	40bar (568psi)	Honda GX270 9HP	3-way outlet, gauge, by-pass	Base & handles
SMKAP125/GX390	5	125	40bar (568psi)	Honda GX390 13HP	3-way outlet, gauge, by-pass	Trolley/frame, 4 wheels or skids
SMKAP150/GX620	5	150	50bar (710psi)	Honda GX620 20HP	3-way outlet, gauge, by-pass	Trolley/frame, 4 wheels or skids



the Power & the Glory

Aussie ECO-Clean Accessories ... save time, save water

LABOUR SAVING ACCESSORIES ... MAKE YOUR JOB EASIER!

Aussie Whirl-a-Way Rotary Cleaners: High pressure flat surface cleaners float on water pressure like a hovercraft. Operates with water temperatures of up to 90° for effective removal of oil, grease & even chewing gum without chemicals. Huge benefits;



- · Save water, time.
- Cut machine wear & tear.
- Leave a streak free finish.
- Super easy operation ... saves your back.
- Huge cost savings.



The Aussie Sidewinders; a hand held version for vertical surfaces (note the gun is not included).

Model	Pump Pressure (psi)	Temp. (max)	Flow rate (lpm)	Measurement dia. (mm)	Cleaning Speed (per min.)	Weight (kg)	No. of Nozzles
16" Rotary Cleaner	4000	90°	28	450x450x1650	15m²	10	2
20" Rotary Cleaner	4000	90°	28	500x500x1800	20m²	12	2
24" Rotary Cleaner	4000	90°	30	600x600x1800	25m²	15	3
12" Sidewinder	3000	90°	21	320x320x130	12m²	2.6	2

AUSSIE TURBO MASTER ...

GET THE MOST OUT OF YOUR MACHINE AND SAVE TIME, WATER & ENERGY!

An Aussie Turbo lance multiplies the effectiveness of your cleaner without making it work harder. Turbo action does the work using the water velocity of your machine.

- · Cut cleaning times by up to half.
- · Operates with all brands of machine.
- · Unique ceramic tip ... long life.

· Unique turbo action delivers 0° high pressure impact with wide spray coverage.

· Super reliable ... heavy duty construction.

AUSSIE REEL MATE HOSE REEL KITS ...

SUPER GREEN CLEAN

LOADED & READY TO GO! The best value when you're buying both reel & hose!

Model	Description
Reel Mate 3500	Steel hose reel, 3500 psi rated, with 15 metres R2 double braid HP 5/16th hose, suites AB22
Reel Mate 4000	Steel hose reel, 4000 psi rated, with 30 metres R2 double braid HP 3/8th hose, suits AB32 or AB42



THE LARGEST RANGE OF ACCESSORIES IN THE SOUTHERN HEMISPHERE!

GUNS



SAFETY VALVES Protect pump & unloader from pressure spikes, valves for pressures up to 7250

LANCES Single & double, up to 2000mm long, pressures up to 7,000 psi.



NOZZLES

Quick couple nozzles or Aussie "Laser Cut" nozzles cut cleaner. last longer.



EXTENDA WANDS

Telescopic reach to 6 metres, great for washing under eaves, windows or any other awkward high pressure cleaning project,







ACID VENTURI - suits brick cleaning.



THERMAL DUMPS

Protect you & your machine when on bypass.



HIGH PRESSURE HOSES

Replace worn and damaged high pressure & sewer hoses, rated up to 5800 psi.



Fast easy stripping of rust & paint.



Aussie ECG- Clean

Aussie Wet/Dry Vacs the tradies' MATE



Ideal for all professional cleaning and trade applications, these heavy duty dry and wet/dry vacs feature huge suction power and impact resistant poly barrels. Chosen by some of Australia's leading rental equipment companies, Aussie Clean Air vacs are strong, reliable and easy to service.

Heavy duty, re-usable **Microweb** 99.9% filtration cloth filter is supplied as standard equipment on some models making these units ideal for asthma or allergy sufferers. Also suitable for cleaning of fine dust particles such as limestone, lead, sugar, cement, fertilizers, gyprock dust, etc.

- Choice of 1, 2 or 3 x 1200 watt, heavy duty bypass motor options.
- Impact resistant polypropylene barrel.
- · Heavy duty wheel kit.

- · Professional accessory kit.
- Reusable Microweb 99.9% filtration cloth filter
- 7 metre durable power cable.





Model	Capacity (litres)	Motor	Water Lift (head) mm	Air Flow (m³/h)	Air Flow (I/s)	Weight (kg)	Accessory size (mm)	Boxed dimensions I x w x h (mm)
Dorsal backpack	6	1 x 1200w/240v direct	Dry only	250	70	4.5	32	400x400x800
Whisper (VC15)	15	1 x 1200w/240v direct	Dry only	162	45	7	32	580x580x500
VY13F1	10	1 x 1200w/240v bypass	2200 (215bar)	250	70	8	32	410x380x570
VC40	16	1 x 1200w/240v bypass	2200 (215bar)	250	70	10	32	450x400x570
VC44	30	1 x 1200w 240v bypass	2200 (215bar)	250	70	12	40	420x440x710
VS61	50	1 x 1200w 240v bypass	2200 (215bar)	250	70	22	40	650x570x970
VS72	75	2 x 1200w 240v bypass	2400 (235bar)	425	119	28	40	650x570x970
VS73	75	3 x 1200w 240v bypass	2600 (255bar)	645	181	31	40	650x570x970
VS83/3	75	3 x 1200w 240v bypass	2600 (255bar)	645	181	31	50 & 90	650x570x970

Aussie Drum Vac System:

Includes a 200 litre wet/dry drum vac and trolley to provide the suction and capacity needed for workshop cleanup.

Model	Capacity (litres)	Motor	Water Lift (head) mm	Air Flow (m³/h)	Air Flow (I/s)	Weight (kg)	Accessory size (mm)	Boxed dimensions I x w x h (mm)
Aussie Drum Vac	200	3 x 1200w 240v bypass	2600 (255bar)	645	181	63	40	600x600x1500
Jumbo Drum Vac	200	3 x 1200w 240v bypass	2600 (255bar)	645	181	63	50 & 90	600x600x1500

Trolley (for drum vac for ease of movement of full and empty drums, 2 pneumatic tyres, drum security chain, rubber grips)

Heavy Duty Cleaning Tools for tough Aussie Users

- Heavy duty, 3 metre, crush proof hose.
- Multipurpose carpet & floor tool.
- Chrome wand assembly including handle.
- Crevice tool & round brush.
- Venetian blind tool.
- Aluminium squeegee for wet applications.



WHAT IS MICROWEB?

It's a unique filter media constructed from a polyester or homopolymer acrylic fibre with a microporous membrane applied to the collection surface. This provides a low pressure drop, reduced bonding, better dust release and improved collection efficiency.



Aussle-Eco-clean www.aussipumpa.com.au High Phessune Cleaners

ALSO AVAILABLE: (CHECK THE WEBSITE OR CALL)

- Free technical info and detailed specifications
- Bertolini Triplex piston pump service guide
- Detailed accessories catalogue
- · Pipeline Newsletter

Reliable Products...Reliable People

At Aussie Pumps we guarantee fast delivery, reasonable parts prices, service that is the envy of the industry.



Australian Pump Industries Pty Ltd

ABN: 79 061 619 234

7 Gladstone Road, Castle Hill NSW 2154 Ph: (02) 9894 4144 Fax: (02) 9894 4240

www.aussiepumps.com.au email: info@aussiepumps.com.au



Distributed by: